

wentronic

Premium E-mobility equipment



Your distribution partner for products from
PRODUCT RANGE 2025 I



PATENTED, INNOVATIVE AND CERTIFIED

With our equipment from LAPP and Goobay, you get the best performance out of your EV. Our selection of Mode 3 charging cables, mobile charging stations, charging adapters and home charging stations always provides you with the maximum charging rate.

Wall brackets, bags and cable reels help to keep these unique charging cables safe. Superior quality and safety for your e-car.

TABLE OF CONTENTS



LAPP MODE 3 CHARGING CABLE - VARIANTS Smooth - Spiral - HELIX - Double HELIX	4	Product range LAPP MOBILE CHARGING STATIONS	14
LAPP MOBILITY DOCK	7	Product range LAPP CHARGING CABLES SMOOTH SPIRAL	16
LAPP MOBILE CHARGING STATIONS	8	CUSTOMISED BRANDING	17
LAPP WALL BRACKET For Mobile Charging Stations	9	Product range LAPP CHARGING CABLES HELIX + ACCESSORIES	18
LAPP ACCESSORIES Bags for Mobile Charging Stations and Charging Cables	10	GOOBAY ACCESSORIES	20
Product range LAPP CHARGING STATIONS + ACCESSORIES	12	Product range GOOBAY ACCESSORIES FOR CHARGING CABLES	22



MODE 3 CHARGING CABLES – VERSIONS

CHARGING CABLE FOR USE AT PUBLIC AND HOME CHARGING STATIONS

Thanks to the standardised Type 2 connector, this is possible throughout Europe.
The new, silver-plated contacts and the cable in proven LAPP quality ensure optimum and safe power transmission as well as longevity of the charging cable.



HELIX

FOR SIMPLE HANDLING

The patented LAPP HELIX is a quick-charge cable that rolls back up to automatically take its original shape after charging is complete. The mechanism saves users the time to roll up the cable and avoids soiling their hands - plus, the HELIX is quickly and easily stored back in the car.



SMOOTH

THE CLASSIC CHARGING CABLE



DOUBLE HELIX

MAXIMUM FREEDOM DURING CHARGING

Doubling up the benefits of the patented LAPP HELIX – the cable flexibly bridges longer distances of up to 7 m between charging point and car.



SPIRAL

THE COMPACT OPTION

THE HOUSING OF THE PLUG

consists of two components, allowing for separating and subsequently recycling the individual parts. The lightweight material and slim shape of the LAPP connector make it ideal for everyday use.

POWER CLASSES


- 20 A, 1-phase/3-phase
- 32 A, 1-phase/3-phase
- Charging power up to 22 kW depending on version
- IEC-certified
- Standard colours: black/orange



MOBILITY DOCK

SMALL AND HANDY - IDEAL FOR ON THE ROAD

The LAPP MOBILITY DOCK is a practical solution for supplying electric vehicles with power even without a charging pole, a public or a home charging station. It is the perfect solution as an emergency charger. It allows for simple, mobile charging via a standard Type E/F mains socket and is ideal for on the road or in the garage at home.




ADVANTAGES AT A GLANCE

- Mobile charger for use with a standard Type E/F socket
- 100 % user-friendly and intuitive
- Compact design and ergonomic, easy handling
- Space-saving storage in the boot
- Charging process starts automatically when requested by the car
- Meets all relevant requirements of the IEC 62752 product standard
- Use with the Mode 3 charging cable already available in the car
- Gyro sensor in housing for position monitoring

MOBILE CHARGING STATIONS

CHARGE ANYTIME AND ANYWHERE

No charging station in sight? The Mobile Charging Stations from LAPP offer you highly flexible charging options for your hybrid or electric vehicle on the road and at home – charge from either Type E/F mains sockets or CEE sockets. Enjoy e-mobility!



MOBILE CHARGING STATIONS BASIC

FULL POWER WITH UP TO 22 KW

The LAPP Mode 2 charger provides simple, mobile charging via standard mains sockets and is ideal in the garage at home or on the road.




MOBILE CHARGING STATION UNIVERSAL

FLEXIBLY ON THE MOVE WITH UP TO 22 KW

The LAPP Charging Station Universal charges your electric vehicle via a range of socket adapters. The connection option for the separately available LAPP mains adapters ensures maximum flexibility for mobile charging – preparing you for any situation and any socket.



MULTIPLE CONNECTION OPTIONS



WALL BRACKET

FOR THE MOBILE CHARGING STATIONS BASIC AND UNIVERSAL

WALL BRACKET

COST-EFFECTIVE ALTERNATIVE TO THE STANDARD WALL BOX

This simple, elegant solution turns your Mobile Charging Station into a miniature home charging point.

Installed in no time at the parking space of your electric car, it protects the control box and charging cable from dirt or damage.



ACCESSORIES

BAGS FOR MOBILE CHARGING STATIONS AND CHARGING CABLES



BAG FOR MOBILE CHARGING STATIONS

BASIC AND UNIVERSAL - SAFELY STORED AWAY

The perfect organiser for your Mobile Charging Station: Features such as the large main compartment with a zip, internal fastening loops and a 5 mm PE foam padding provide safe and tidy storage.



BAG FOR MODE 3 CHARGING CABLES

ROBUST CABLE ORGANISER

The bag is the perfect accessory to easily store and transport the charging cable for your EV. As a pleasant side effect, dirt and moisture from the cable can no longer get into the vehicle or into your home as they remain in the washable bag.

ACCESSORIES

BAGS FOR THE MOBILITY DOCK CHARGING STATION



NEOPRENE COVER

LIGHTWEIGHT, COMPACT, MAXIMUM PROTECTION

Fitted precisely to the LAPP MOBILITY DOCK: the high-quality, robust neoprene bag for secure storing and transporting.

Excellent protection for the award-winning product.















HARD CASE

HIGH-QUALITY, SHOCK-RESISTANT BAG MADE OF EVA


Tailor-made: The foam inlay fits the LAPP MOBILITY DOCK perfectly and offers the best protection.







		TYPE COUNTRY	CONNECTION 1	CONNECTION 2	CHARGING CAPACITY UP TO	MAX. CURRENT LOAD CAPACITY	RATED VOLTAGE	NUMBER OF PHASES	COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID
	MOBILITY DOCK EV Charger for electric vehicles	Type E/F (Europe*)  	Safety plug hybrid (type E/F, CEE 7/7)	Type 2 socket	2.3 kW	10 A	230 V (AC)	1	● Black	61777	€ 259.95	5555925000
	MOBILITY DOCK EV Charger for electric vehicles	Type G (CY, GI, IE, UK) 	Safety plug type G	Type 2 socket	2.3 kW	10 A				65416	€ 259.95	5555925004
	MOBILITY DOCK EV Charger for electric vehicles	Type J (CH) 	Safety plug type J	Type 2 socket	1.8 kW	8 A				65417	€ 259.95	5555925005
	MOBILITY DOCK EV Charger for electric vehicles	Type K (DK) 	Safety plug type K	Type 2 socket	1.4 kW	6 A				65418	€ 259.95	5555925006
Accessories MOBILITY DOCK					DIMENSIONS				COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID
	Hard Case for the MOBILITY DOCK Charger				length x height x depth	27 cm x 12.5 cm x 15.5 cm			● Black	64711	€ 24.99	5555940007
	Neoprene Cover for the MOBILITY DOCK Charger				length x height x depth	27.5 cm x 7 cm x 17 cm			● Black	64712	€ 19.99	5555940002
	Mesh Bag for the MOBILITY DOCK Charger				length x height x depth	34.5 cm x 20 cm x 2 cm			● Black	64713	€ 14.99	5555940001

* Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Italy, Latvia, Lithuania, Luxembourg, Moldova, Monaco, Netherlands, North Macedonia, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Turkey

		CHARGING MODE	CONNECTION 1	CONNECTION 2	CONNECTION 3	CHARGING CAPACITY UP TO	MAX. CURRENT LOAD CAPACITY	Ø INNER CONDUCTOR	RATED VOLTAGE	NUMBER OF PHASES	LENGTH	COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID
	Mobile Charging Station Universal (without adapter)	Mode 2	LAPP connection point	Type 2 socket	-	22.0 kW	32 A	6.0 mm ²	440 V (AC)	3	6 m	● Black	64693	€ 479.95	5555922000
	Mobile Charging Station Basic	Mode 2	Safety plug hybrid (Type E/F, CEE 7/7)	Type 2 socket	-	1.8 kW	8 A	2.5 mm ²	230 V (AC)	1	6 m	● Black	64692	€ 189.95	5555921002
						2.3 kW	10 A						64694	€ 199.95	5555921001
	Mobile Charging Station Basic	Mode 2	Type 2 socket	CEE plug blue 3-pole 1 ph/32 A	-	7.4 kW	32 A	6.0 mm ²	400 V (AC)	1	6 m	● Black	74209	€ 349.95	5555921006
	Mobile Charging Station Basic	Mode 2	CEE plug red 5-pole 3 ph/16 A	Type 2 socket	-	11.0 kW	16 A	2.5 mm ²	440 V (AC)	3	6 m	● Black	64695	€ 499.95	5555921007
						22.0 kW	32 A	6.0 mm ²					64696	€ 549.95	5555921000
	Set Mobile Charging Station Universal	Mode 2	Type 2 socket	Safety plug hybrid (Type E/F, CEE 7/7)	CEE plug red 5-pole 3 ph/16 A	11.0 kW	16 A	2.5 mm ²	440 V (AC)	3	6 m	● Black	64697	€ 599.95	5555924001
						22.0 kW	32 A	6.0 mm ²					64698	€ 679.95	5555924002
	CEE Charging Adapter Universal	-	CEE plug blue 3-pole 1 ph/16 A	LAPP separation point	-	3.7 kW	16 A	2.5 mm ²	230 V (AC)	1	0.96 m	● Black	64703	€ 59.99	5555923004
						7.4 kW	32 A	6.0 mm ²					64704	€ 64.99	5555923002
	CEE Charging Adapter Universal	-	CEE plug red 5-pole 3 ph/16 A	LAPP separation point	-	11.0 kW	16 A	2.5 mm ²	440 V (AC)	3	0.96 m	● Black	64705	€ 64.99	5555923003
						22.0 kW	32 A	6.0 mm ²					64706	€ 69.99	5555923001
	Safety Plug Charging Adapter Universal	-	Safety plug hybrid (Type E/F, CEE 7/7)	LAPP separation point	-	1.8 kW	8 A	2.5 mm ²	230 V (AC)	1	0.96 m	● Black	64707	€ 54.99	5555923005
						2.3 kW	10 A						64708	€ 54.99	5555923000




Accessories:
Bag for Mobile Charging Stations + Wall Bracket for Mobile Charging Stations
 see p. 18/19

	CHARGING MODE	CONNECTION 1	CONNECTION 2	CHARGING CAPACITY UP TO	MAX. CURRENT LOAD CAPACITY	Ø INNER CONDUCTOR	RATED VOLTAGE	NUMBER OF PHASES	LENGTH	COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID	BRANDING „YOUR LOGO“
	Mode 3	Type 2 plug	Type 2 socket	7.4 kW	32 A	6.0 mm²	250 V (AC)	1	5 m	● Orange ● Black	61786 61780	€ 149.95	5555934026 5555934002	- ✓
									7 m	● Orange ● Black	61791 61783	€ 169.95	5555934030 5555934006	- ✓
	Mode 3	Type 2 plug	Type 2 socket	11.0 kW	20 A	2.5 mm²	440 V (AC)	3	3 m	● Orange ● Black	75743 75747	€ 139.95	5555934051 5555934052	- ✓
									5 m	● Orange ● Black	61785 61779	€ 159.95	5555934025 5555934001	- ✓
									7 m	● Orange ● Black	61790 61782	€ 179.95	5555934029 5555934005	- ✓
									10 m	● Orange ● Black	75744 75748	€ 199.95	5555934049 5555934050	- ✓
	Mode 3	Type 2 plug	Type 2 socket	22.0 kW	32 A	6.0 mm²	440 V (AC)	3	3 m	● Orange ● Black	65755 65754	€ 149.95	5555934040 5555934041	- ✓
									5 m	● Orange ● Black	61789 61781	€ 179.95	5555934027 5555934003	- ✓
									7 m	● Orange ● Black	61792 61784	€ 199.95	5555934031 5555934007	- ✓
									10 m	● Orange ● Black	65311 64691	€ 269.95	5555931037 5555934032	- ✓
	Mode 3	Type 2 plug	Type 2 socket	11.0 kW	20 A	2.5 mm²	440 V (AC)	3	5 m	● Orange	61799	€ 229.95	5555936025	-

NEW IN
2025


NEW IN
2025





Accessories:
Bag for Mode 3 Charging Cable
see p. 18/19

CUSTOMISED BRANDING

Exclusively for your company: Combine individuality with quality and brand LAPP premium charging cables with your corporate logo.
We have an electrifying branding offer for the black Type 2 charging cables in the versions smooth, HELIX and double HELIX for you (for variants see pp. 16-19).
In addition, we provide customised packaging options.

 **Benefit from our excellent service and contact us for individual support.**





		CHARGING MODE	CONNECTION 1	CONNECTION 2	CHARGING CAPACITY UP TO	MAX. CURRENT LOAD CAPACITY	Ø INNER CONDUCTOR	RATED VOLTAGE	NUMBER OF PHASES	LENGTH	COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID	BRANDING „YOUR LOGO“
	HELIX Charging Cable Type 2 for electric vehicles	Mode 3	Type 2 plug	Type 2 socket	7.4 kW	32 A	6.0 mm²	250 V (AC)	1	5 m	● Orange ● Black	61797 61794	169.95 €	5555935014 5555935002	- ✓
		Mode 3	Type 2 plug	Type 2 socket	11.0 kW	20 A	2.5 mm²	440 V (AC)	3	5 m	● Orange ● Black	61796 61793	179.95 €	5555935013 5555935001	- ✓
		Mode 3	Type 2 plug	Type 2 socket	22.0 kW	32 A	6.0 mm²	440 V (AC)	3	3 m	● Orange ● Black	75745 75749	169.95 €	5555934042 5555934039	- ✓
										5 m	● Orange ● Black	61798 61795	199.95 €	5555935015 5555935003	- ✓
	Double HELIX Charging Cable Type 2 for electric vehicles	Mode 3	Type 2 plug	Type 2 socket	22.0 kW	32 A	6.0 mm²	440 V (AC)	3	7 m	● Orange ● Black	75746 75750	229.95 €	5555934053 5555934054	- ✓

NEW IN
2025

NEW IN
2025

Accessories for charging cables SMOOTH SPIRAL HELIX DOUBLE HELIX						DIMENSIONS	COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID
	Mode 3 Charging Cable Bag					length x height x depth 40 cm x 40 cm x 10 cm	● Black	64699	19.99 €	5555911001

Accessories for mobile charging stations		DIMENSIONS	COLOUR	WENTRONIC ITEM NO.	RRP NET	LAPP REFERENCE ID
	Bag for Mobile Charging Stations	Breite x Höhe x Tiefe 62 cm x 42 cm x 11 cm	● Black	64709	€ 39.99	5555911002
	Wall Bracket for Mobile Charging Stations	Breite x Höhe x Tiefe 10,5 cm x 49 cm x 9,5 cm	 White/ Orange	64710	€ 69.99	5555000146

GOOBAY PREMIUM ESSENTIALS FOR EVs

ACCESSORIES FOR CHARGING CABLES



WALL MOUNTS

SPACE-SAVING STORAGE BETWEEN CHARGING CYCLES

Simply mounted and securely fastened, the fixture allows you to easily store your charging cable on the wall. It keeps the cable safe and protects it from dirt and damage, extending the service life of your charging cable.




WITH CABLE REST



ACCESSORIES FOR CHARGING CABLES

PRODUCT RANGE

		DIMENSIONS	COLOUR	WENTRONIC ITEM NO.	RRP NET
	Wall Mount for EV Type 2 Charging Cable	length x height x depth 9.8 cm x 9.8 cm x 4 cm	● Black	61141	€ 9.99
	Angled Wall Mount for EV Type 2 Charging Cable	length x height x depth 9.8 cm x 10.4 cm x 11 cm	● Black	61142	€ 19.99
	Wall Mount with Cable Rest for EV Type 2 Charging Cable	length x height x depth 10.7 cm x 17.1 cm x 8.4 cm	● Black	61143	€ 34.99

#thefutureiselectric



wentronic PREMIUM E-MOBILITY EQUIPMENT



All products available from Wentronic GmbH Pillmannstraße 12 38112 Braunschweig Phone / Fax +49 (0)531-21058-0/-22
Product and packaging illustrations similar. Errors and omissions excepted.
www.wentronic.com